



more than 55 years  
experience

Health Care Catalogue  
2023

# Contents

|                        |      |                  |
|------------------------|------|------------------|
| Special scales _____   | page | 4 <sup>th</sup>  |
| Baby care _____        | page | 7 <sup>th</sup>  |
| Personal scales _____  | page | 14 <sup>th</sup> |
| Kitchen scales _____   | page | 21 <sup>st</sup> |
| Smart devices _____    | page | 25 <sup>th</sup> |
| Health care _____      | page | 26 <sup>th</sup> |
| Personal heaters _____ | page | 29 <sup>th</sup> |
| Wellness _____         | page | 31 <sup>st</sup> |
| Logistical datas _____ | page | 33 <sup>rd</sup> |
| Notes _____            | page | 35 <sup>th</sup> |

## Legend:

 = Made in Hungary



Hungarian Momert Co. Ltd has been present on the market since 1967. The brand Momert means excellent quality, long lifetime products and reliability to our customers. Thanks to our worldwide business contacts our products are available in more than 50 countries, all over the world.

Besides manufacturing, we deal with distribution of household and health care products to make your home and life more convenient and healthier. To take care of all age groups we have a wide range of products like semi-professional and professional scales, beauty and health care products and baby care items.

Production, trading, product development also belong to the main range of activities of Momert.



## Electronic parcel and product scale


model 5550



Painted metal platform: 430×325mm  
 Automatic switch-off  
 Automatic zero resetting  
 TARE & auto HOLD function  
 Capacity: 50kg  
 Division: 10g  
 Units: kg, lb, st  
 Power: 2 pcs CR2032 batteries or a 6V adapter (included)

## Electronic BMI column scale

model 5968 & 5969



5969 without & 5968 with height rod  
 LCD display on the top of column  
 Automatic switch-off  
 Automatic zero resetting  
 TARE function  
 Capacity: 200kg  
 Division: 100g  
 Units: kg, lb, st; cm, inch  
 Connection to PC via USB cable  
 Power: 4 pcs 1.5V AAA batteries or a 5V adapter with USB cable (included)

## Electronic barrel scale

model 5970 & 5971



5970: stainless steel  
 5971: painted platform  
 Automatic switch-off  
 Automatic zero resetting  
 TARE function  
 Capacity: 200kg  
 Division: 100g  
 Units: kg  
 Power: 1 pc LR22 battery or a 9V adapter (included)



## Electronic wooden platform scale

model 6641



Wooden platform: 830×620mm  
Automatic switch-off  
Automatic zero resetting  
TARE function  
Capacity: 200kg  
Division: 100g  
Units: kg, lb, st  
Connection to PC via USB cable  
Power: 4 pcs 1.5V AAA batteries or a 5V adapter with USB cable (included)

## Small pet scale

model 6550 & 6551



Precision measuring system  
Automatic switch-off  
Automatic zero resetting  
TARE & auto HOLD function  
Low battery & overload indicator  
Capacity: 20kg  
division: 6550=10g; 6551=5g  
Units: kg, lb, st  
Power: 1 pc CR2032 battery (included)

## Medium and large pet scale

model 6680



Wooden platform: 635×355mm  
Automatic switch-off  
Automatic zero resetting  
TARE function  
Low battery & overload indicator  
Capacity: 100kg  
Division: 100g  
Units: kg, lb, st  
Power: 1 pc CR2032 battery (included)



## Medium and large pet scale


model 6681



Wooden platform: 830×620mm  
Automatic switch-off  
Automatic zero resetting  
TARE function  
Low battery & overload indicator  
Capacity: 100kg  
Division: 100g  
Units: kg, lb, st  
Power: 1 pc CR2032 battery (included)

## Electronic scale for handicapped

model 6651



Wooden platform: 800×800mm  
Automatic switch-off  
Automatic zero resetting  
TARE function  
Capacity: 300kg  
Division: 100g  
Units: kg, lb, st  
Connection to PC via USB cable  
Power: 4 pcs 1.5V AAA batteries or a 5V Adapter with USB cable (included)

## Stainless steel electronic large pet scale

model 6671-S



Stainless steel platform: 800×600mm  
Automatic switch-off  
Automatic zero resetting  
TARE function  
Capacity: 200kg  
Division: 100g  
Units: kg, lb, st  
Connection to PC via USB cable  
Power: 4 pcs 1.5V AAA batteries or a 5V Adapter with USB cable (included)



Expecting a baby is a joyful time in your life, and we would like to make it easier and happier. We are offering a wide range of baby products, so you can take care of your little one's health, and relax without worries. Having fun adventures and feeding on the go, making the room cozy with nice smells, following up the growth of your baby or checking your child's health has never been easier.

## Baby bottle sterilizer **NEW** model 1730



5 IN 1: sterilizes milk bottle, keeps warm, heats milk up, steams baby food, sterilize accessories

Large capacity: up to 6 standard or 5 wide necked bottles and accessories at a time

Automatically switches off when dry up

Digital control with LCD display

Chemical-free sterilizing with steam

BPA free and food grade material

Main voltage: 220-240V~50-60Hz

Power: 600W

## Portable UV sterilizer **NEW** model 1731



For pacifiers, bottle nipples, teethers, small baby items at home or on the go

No chemicals, heat, or water needed

UV light auto shuts-off when lid is opened

Included strap easily attaches to a purse, diaper bag, etc.

Ozone free

Two working modes: 1 minute or 3 minutes

Operates with AC adapter or rechargeable built-in lithium-ion battery (Type-C port)

Power: DC 5V 1A



## Baby food processor **NEW**

model 1732



Steaming, blending and sterilizing  
BPA free and food grade material  
Dishwasher safe bowl  
Bowl: 1000ml capacity  
Steaming basket: 650ml capacity  
Wide water tank, easy to clean  
Timer up to 30 minutes and sound alarm  
Automatically switches off with sound when time finishes  
Main voltage: 220-240V~50-60Hz  
Power: 300W+150W

## Baby bottle and food warmer - 2 in 1 **NEW**

model 1729



Car & Home use  
Sterilizes bottle, heats milk up, steams baby food  
Digital control with LCD display  
Temperature and current cycle data on display  
Keep-warm function for 24h  
Automatically shuts off and alerts when ready  
Home use: 220-240V AC ~50-60Hz, 500W  
Car use: 12V DC, 100W

## Baby bottle and food warmer - 2 in 1

model 1704



Car & Home use  
Fast heating with water or without water  
Keeping warm: keeps the temperature close to natural temperature for long time  
Heats up fast: heats milk to feeding temperature in as short as 5 minutes  
Juicer & feeding bowl  
Home use: 230V~50Hz, 80W  
Car use: 12V DC, 30W





## Digital hygro- and thermometer **NEW**

model 1754



Wall mountable and table standing  
With backlight  
For internal use  
Humidity range 15-95%  
Temperature range: 0-50°C/32-122°F  
Accuracy:  $\pm 1^{\circ}\text{C}$  at 25°C~50°C; beyond this range  $\pm 2^{\circ}\text{C}$   
Division: 0,1°C/0,1°F  
Stores the max and min measured temperature values in memory  
Power: 2 pcs AAA batteries (included)

## Nasal aspirator

model 1723



Easy to handle shape  
Small weight  
Waterproof and washable  
2 changeable, silicon plastic nozzles  
2 spare silicone rings  
Mucus cup: 4ml  
Power: 2 pcs AA batteries (included)

## Digital bath thermometer

model 1761



Waterproof  
Temperature alert at 39°C: LED light illuminate when water temperature is  $\geq 39^{\circ}\text{C}$   
Temperature range: 0°C~50°C  
Accuracy:  $\pm 1^{\circ}\text{C}$   
Power: 1 pc CR2032 battery (included)



## Wet wipe warmer **NEW**

model 1733



Flip-top lid offers easy access  
Low voltage, energy-efficient with soft night light  
Top heating design keeps top wipes warm and ready for use at all time  
Large-capacity storage for a single package of 80pcs wet wipes  
Power: DC6V, 1.8A

## Electronic baby scale **NEW**

model 6480



Precision measuring system  
Weight difference display function  
Automatic switch-off  
TARE & auto HOLD function  
Low battery & overload indicator  
Capacity: 20kg  
Division: 5g  
Units: kg, lb, st  
Power: 2 pcs CR2032 batteries (included)

## Electronic baby scale

model 6400 & 6401



Precision measuring system  
Weight difference display function  
Automatic switch-off  
TARE & auto HOLD function  
Low battery & overload indicator  
Capacity: 20kg  
Division: 6400=10g; 6401=5g  
Units: kg, lb, st  
Power: 2 pcs CR2032 batteries (included)



## Electronic baby and child scale

model 6420 & 6421



Precision measuring system  
Weight difference display function  
Automatic switch-off  
TARE & auto HOLD function  
Low battery & overload indicator  
Capacity: 20kg  
Division: 6420=10g; 6421=5g  
Units: kg, lb, st  
Power: 2 pcs CR2032 batteries (included)



## Electronic baby and child scale

model 6425 & 6426



Precision measuring system  
Weight difference display function  
Automatic switch-off  
TARE & auto HOLD function  
Low battery & overload indicator  
Capacity: 20kg  
Division: 6425=10g; 6426=5g  
Units: kg, lb, st  
Power: 2 pcs CR2032 batteries (included)



## Electronic baby and child scale

model 6470 & 6471



Precision measuring system  
Weight difference display function  
Automatic switch-off  
TARE & auto HOLD function  
Low battery & overload indicator  
Capacity: 20kg  
Division: 6470=10g; 6471=5g  
Units: kg, lb, st  
Power: 2 pcs CR2032 batteries (included)





## Electronic baby and child scale

model 6475 & 6477



Precision measuring system  
Weight difference display function  
Automatic switch-off  
TARE & auto HOLD function  
Low battery & overload indicator  
Capacity: 20kg  
Division: 6475=10g; 6477=5g  
Units: kg, lb, st  
Power: 2 pcs CR2032 batteries (included)



## Analogue baby and child scale

model 6510



Classical scale structure  
Baby tray with soft textile cover  
Accurate & reliable  
Capacity: 20 kg  
Division: 0-10kg/50g, 10-20kg/100g



## Analogue baby scale

model 7474



Easy to read with the fitted magnifying lens.

Traditional beam scale  
Classical scale structure  
Baby tray with soft textile cover  
Accurate & reliable  
Capacity: 13kg  
Division: 10g



## Ultrasonic humidifier

model 1818



With antibacterial crystal  
LED night light  
10 hours constant work time  
Automatic switch-off  
Water tank volume: 3,2l  
Moisture capacity: 300ml/h  
Coverage area: 30m<sup>2</sup>  
Main voltage: 220-240V~50-60Hz  
Power: 30W

## Aroma diffuser

model 1821



With antibacterial crystal  
Micro-fine ultrasonic atomization  
for watersoluble aromatic oils  
LED night light  
5 hours constant work time  
Automatic switch-off  
Water tank volume: 220ml  
Moisture capacity: 15-50ml/h  
Coverage area: 12m<sup>2</sup>  
Main voltage: 100-240V~50-60Hz  
Power: 12W

## Air purifier

model 1820



Charcoal filter, HEPA-filter and UV light  
4 speed settings  
3 timer programs (2, 4, 8 hours)  
Capacity: 125m<sup>3</sup>/h  
Coverage area: 10-15m<sup>2</sup>  
Main voltage: 220-240V~50-60Hz  
Power: 45W



## Analogue big dial scale with markers

model 5207



Coloured markers for 4 persons  
Extra large display with large numbers  
& white plastic bezel  
Large platform with divided mats  
Strong & durable construction  
Capacity: 200kg  
Division: 1kg

## Analogue big dial scale with markers

model 5220



Coloured markers for 4 persons  
Extra large display with large numbers  
& white plastic bezel  
Large platform with divided mats  
Strong & durable construction  
Capacity: 160kg  
Division: 1kg

## Analogue big dial scale

model 5100



Extra large display with large numbers  
& white plastic bezel  
Large platform  
Strong & durable construction  
Capacity: 160kg  
Division: 1kg



## Analogue big dial scale

model 5110



Extra large display with large numbers  
& chrome bezel  
Large platform  
Strong & durable construction  
Capacity: 160kg  
Division: 1kg

## Analogue big dial scale

model 5204



Extra large display with large numbers  
& silver plastic bezel  
Large platform with divided mats  
Strong & durable construction  
Capacity: 200kg  
Division: 1kg

## Analogue big dial scale

model 5200



Extra large display with large numbers  
& white plastic bezel  
Large platform with divided mats  
Strong & durable construction  
Capacity: 160kg  
Division: 1kg



## Analogue big dial scale

model 5210



Extra large display with large numbers  
& chrome bezel

Large platform with divided mats

Strong & durable construction

Capacity: 160kg

Division: 1kg

## Analogue personal scale

model 7710



Traditional design

Divided mats

Strong & durable construction

Capacity: 125kg

Division: 1kg

## Analogue personal scale

model 7720



Traditional design

Strong & durable construction

Capacity: 125kg

Division: 1kg





## Analogue personal scale

model 7746



Traditional design  
Plastic platform  
Capacity: 125kg  
Division: 1kg

## Electronic big dial scale


model 5253



Extra large LCD display  
Large platform with divided mats  
Automatic switch-off  
Automatic zero resetting  
Low battery & overload indicator  
Capacity: 225kg  
Division: 100g  
Units: kg, lb, st  
Power: 2 pcs CR2032 batteries (included)

## Electronic personal scale

model 5831



Safety glass platform  
Quick start  
Automatic switch-off  
Automatic zero resetting  
Low battery & overload indicator  
Capacity: 200kg  
Division: 100g  
Units: kg, lb, st  
Power: 1 pc CR2032 battery (included)



### Electronic personal scale

model 5870-2



Safety glass platform  
Quick start  
Automatic switch-off  
Automatic zero resetting  
Low battery & overload indicator  
Capacity: 180kg  
Division: 100g  
Units: kg, lb, st  
Power: 1 pc CR2032 battery (included)

### Electronic personal scale

model 5870-3



Safety glass platform  
Quick start  
Automatic switch-off  
Automatic zero resetting  
Low battery & overload indicator  
Capacity: 180kg  
Division: 100g  
Units: kg, lb, st  
Power: 1 pc CR2032 battery (included)

### Electronic personal scale

model 5870-4



Safety glass platform  
Quick start  
Automatic switch-off  
Automatic zero resetting  
Low battery & overload indicator  
Capacity: 180kg  
Division: 100g  
Units: kg, lb, st  
Power: 1 pc CR2032 battery (included)



## Electronic personal scale

model 5872



Safety glass platform  
Quick start  
Automatic switch-off  
Automatic zero resetting  
Low battery & overload indicator  
Capacity: 180kg  
Division: 100g  
Units: kg, lb, st  
Power: 1 pc CR2032 battery (included)

## Electronic personal scale

model 5873



Safety glass platform  
Quick start  
Automatic switch-off  
Automatic zero resetting  
Low battery & overload indicator  
Capacity: 180kg  
Division: 100g  
Units: kg, lb, st  
Power: 1 pc CR2032 battery (included)

## Electronic personal scale

model 5874



Safety glass platform & LED display  
Quick start  
Automatic switch-off  
Automatic zero resetting  
Low battery & overload indicator  
Capacity: 180kg  
Division: 100g  
Units: kg, lb, st  
Power: 2 pcs AAA batteries (included)



## Diagnostic bathroom scale

model 5875



7 functions: BMI (Body Mass Index), BMR (Kcal monitor), body bone mass, muscle mass, body fat %, body water %, body weight

Low battery & overload indicator

Capacity: 180kg


Division: 100g

Units: kg, lb, st

Power: 2 pcs CR2032 batteries (included)

## Diagnostic bathroom scale

model 5876



7 functions: BMI (Body Mass Index), BMR (Kcal monitor), body bone mass, muscle mass, body fat %, body water %, body weight

Low battery & overload indicator

Capacity: 180kg

Division: 100g

Units: kg, lb, st

Power: 3 pcs AAA batteries (included)

## Electronic bamboo scale

model 5877



Bamboo platform

Quick start

Automatic switch-off

Automatic zero resetting

Low battery & overload indicator

Capacity: 180kg

Division: 100g


Units: kg, lb, st:lb

Power: 3 pcs AAA batteries (included)



## Analogue beam scale

model 7462



More than a simple kitchen scale. It can be used as a household scale and as a small farmer scale, too.

Classical scale structure with a useful  
Plastic tray  
Accurate & reliable  
Capacity: 13kg  
Division: 10g

## Electronic pocket scale

model 6000



Precision measuring system  
Automatic calibration function  
Automatic zero resetting  
Piece counting function  
Low battery & overload indicator  
Capacity: 500g  
Division: 0,1g  
Units: g, oz, dwt, ozt  
Power: 2 pcs AAA batteries (included)

## Electronic kitchen scale

model 6839



Precision measuring system  
Automatic switch-off  
Automatic zero resetting  
TARE function  
Low battery & overload indicator  
Capacity: 5kg  
Division: 1g  
Units: g, oz  
Power: 2 pcs AAA batteries (included)



## Electronic kitchen scale

model 6841



Precision measuring system  
Automatic switch-off  
Automatic zero resetting  
TARE function  
Low battery & overload indicator  
Capacity: 5kg  
Division: 1g  
Units: g, lb-oz; ml, fl.oz  
Power: 1 pc CR2032 battery (included)

## Nutritional kitchen scale


model 6846



Nutritional information 999 foods or ingredients  
7 nutritional values: calories, salt, protein, fat, cholesterol, carbohydrate, fibre  
Memory: 99 entries  
Capacity: 5kg  
Division: 1g  
Units: g, lb-oz; ml, fl.oz  
Power: 2 pcs AAA batteries (included)

## Electronic kitchen scale

model 6850



Precision measuring system  
Automatic switch-off  
Automatic zero resetting  
TARE function  
Low battery & overload indicator  
Capacity: 5kg  
Division: 1g  
Units: g, oz, lb  
Power: 1 pc CR2032 battery (included)

# Kitchen scales



## Electronic kitchen scale

model 6859, 6860 & 6861



6859: white; 6860: blue; 6861: green  
Precision measuring system  
Automatic switch-off  
Automatic zero resetting  
TARE function  
Low battery & overload indicator  
Capacity: 5kg  
Division: 1g  
Units: g, oz, ml, lb:oz, fl.oz  
Power: 1 pc CR2032 battery (included)

## Electronic kitchen scale

model 6856



Precision measuring system  
Automatic switch-off  
Automatic zero resetting  
TARE function  
Low battery & overload indicator  
Capacity: 5kg  
Division: 1g  
Units: g, oz, ml, lb:oz, fl.oz  
Power: 2 pcs CR2032 batteries (included)

## Electronic kitchen scale

model 6858



Precision measuring system  
Automatic switch-off  
Automatic zero resetting  
TARE function  
Low battery & overload indicator  
Capacity: 10kg  
Division: 1g  
Units: g, kg, oz, ml, lb:oz  
Power: 2 pcs AAA batteries (included)



## Electronic kitchen scale

model 6863



Precision measuring system  
Automatic switch-off  
Automatic zero resetting  
TARE function  
Low battery & overload indicator  
Capacity: 5kg / 1,2l  
Division: 1g  
Units: g, oz, ml, lb:oz  
Power: 2 pcs AAA batteries (included)

## Electronic kitchen scale

model 6864



Precision measuring system  
Automatic switch-off  
Automatic zero resetting  
TARE function  
Low battery & overload indicator  
Capacity: 15kg  
Division: 1g  
Units: g, oz, ml, lb:oz  
Power: 1 pc CR2032 battery (included)

## Electronic kitchen scale

model 68001



Precision measuring system  
Automatic switch-off  
Automatic zero resetting  
TARE function  
Low battery & overload indicator  
Capacity: 5kg  
Division: 1g  
Units: g, oz, ml, lb:oz, fl.oz  
Power: 2 pcs CR2032 batteries (included)



## Diagnostic personal scale with bluetooth **NEW**

model 5879



Large LCD display, white digit with black background  
9 functions: BMI (Body Mass Index), BMR (Kcal monitor), visceral fat level, body bone mass, muscle mass, body fat %, body water %, body weight, heart rate  
Low battery & overload indicator  
Capacity: 180kg  
Division: 100g  
Units: kg, lb, st  
Power: 4 pcs AAA batteries (included)

## Upper arm blood pressure monitor with bluetooth **NEW**

model 3113



Large LCD display, white digit with black background  
Oscillometric measuring  
Measuring range:  
pressure 0 to 280mmHg  
pulse 40 to 199 beats/min  
Storage memory: 2x99 sets  
Cuff size: 22-36cm  
Automatic switch-off  
Power: 4 pcs AAA batteries (included)

## Nutritional kitchen scale with bluetooth **NEW**

model 6856



Measure: calories, protein, fat, carbohydrate, sugar, fiber, cholesterol, carotene, alcohol, retinol, minerals, vitamins  
Tempered glass surface  
LED display  
Automatic zero resetting & switch-off  
Low battery & overload indicator  
Capacity: 10kg  
Division: 1g  
Unit: g, lb:oz, ml, oz  
Power: 2 pcs AAA battery (included)



## Digital thermometer

model 1764



LCD display  
Measures temperature in 10 seconds  
Sound signal & fever alarm  
Flexible tip  
Waterproof  
Oral, rectal or armpit use  
Measuring range: 32-43°C (89-109,4°F)  
Accuracy:  $\pm 0,1^{\circ}\text{C}$  ( $\pm 0,2^{\circ}\text{F}$ )  
Auto switch-off & low battery indicator  
Power: 1 pc LR41 battery (included)

## Infrared forehead thermometer

model 1765



Large LCD display  
Non-contact measurement: forehead, object and room temperature mode  
Measures temperature in 3 seconds  
Sound signal & fever alarm  
Measuring range: 34-43°C (93,2-109,4°F)  
Accuracy:  $\pm 0,1^{\circ}\text{C}$  ( $\pm 0,2^{\circ}\text{F}$ )  
Auto switch-off & low battery indicator  
Power: 2 pcs AAA batteries (included)

## Wall mounted forehead thermometer **NEW**

model 1770



Large LED display, white digit with black background  
Non-contact measurement: 1-10cm  
Measures temperature in 1 seconds  
Sound signal & colour bar reminder: normal, low fever, high fever  
Storage memory: 32 sets  
Measuring range: 32-43°C (89-109,4°F)  
Accuracy:  $\pm 0,2^{\circ}\text{C}$  ( $\pm 0,4^{\circ}\text{F}$ )  
Auto switch-off & low battery indicator  
Power: USB rechargeable lithium battery



## Infrared lamp

model 3000



Adjustable angle  
Can be used for beauty care  
main voltage: 230V~50Hz  
Power: 100W  
Philips bulb

## Infrared lamp

model 3001



Adjustable angle  
Can be used for beauty care  
Main voltage: 230V~50Hz  
Power: 150W  
Philips bulb

## Wrist blood pressure monitor

model 3102



Extra large LCD display & carry case  
Oscillometric measuring  
Measuring range:  
pressure 0 to 300mmHg  
pulse 30 to 180 beats/min  
Storage memory: 120 sets  
Cuff size: 13,5-21,5cm  
Automatic switch-off  
Power: 2 pcs AAA batteries (included)



## Upper arm blood pressure monitor

model 3112



Large LCD display  
Oscillometric measuring  
Measuring range:  
pressure 0 to 300mmHg  
pulse 30 to 180 beats/min  
Storage memory: 120 sets  
Cuff size: 22-36cm  
Automatic switch-off  
Power: 4 pcs AAA batteries (included)

## Digital alcohol tester **NEW**

model 1707



Semiconductor sensor  
Detect: 0.00-2.00‰(1.00mg/l)  
Display: 0.00-0.80‰(0.40mg/l)  
Accuracy: +/- 0.15‰ at 0.50‰  
Auto switch-off  
Dimension: 100×42×16mm  
Power: 2 pcs AAA batteries

## Digital alcohol tester **NEW**

model 1708



Semiconductor sensor  
LCD with backlight  
5 pcs mouthpieces included  
Foldable mouthpiece design  
Display range: 0-0.40mg/l (0.08%)  
Dimension: 105×45×24mm  
Power: 2 pcs AAA batteries



Make yourself comfortable and cozy with the Momert personal heating items. No worries for the winter times, our products will keep you warm. Preheat your bed with electric blankets, rest on the soft pillow, or just heat up your icy feet after a snowy hike, lay back and relax with a hot cup of beverage. Winter is coming, but we conjure up a summer in your home.

### Electric heating pad

model 1930



Super cosy fleece pad, without cover

Size: 40×30 cm

3 temperature settings

Automatic switch-off after 90 minutes

Washable thanks to detachable controller

Fast heating and overheating protection

Main voltage: 220-240V~50Hz

Power: 100W

### Heated underblanket, single

model 1931



Non-woven fabric (polyester)

Size: 150×80 cm

3 temperature settings

Automatic switch-off after 3 hours

Washable thanks to detachable controller

Easy attached to the mattress by elastic

Cords

Main voltage: 220-240V~50-60Hz

Power: 55-60W



## Heated underblanket, double model 1932



Non-woven fabric (polyester)  
Size: 140x160 cm  
3 temperature settings  
Automatic switch-off after 3 hours  
Washable thanks to detachable  
Controller  
Easy attached to the mattress by elastic  
Cords  
Main voltage: 220-240V~50-60Hz  
Power: 2x(55-60)W

## Electric foot warmer with massage function model 1933



Super cosy fleece surface and liner Size:  
30x30x24 cm  
2 temperature settings  
High / low massage intensities  
Instantly heating  
Liner is removable and washable  
Main voltage: 100-240V AC~50-60Hz  
Power: 7,2W, 600mA, DC12V

## Electric heating blanket model 1934



Soft micro-plush  
Size: 160x120 cm  
3 temperature settings with level indicator  
Automatic switch-off after 3 hours  
Washable thanks to detachable controller  
Voltage: 220-240V~50-60Hz  
Power: 120W

## Yoga massage ball **NEW**

model 1950



2 vibration levels  
Portable, cordless design  
Easy, one button operation  
Soft rubber material  
Power: 3 AAA pcs batteries

## Shiatsu massage pillow **NEW**

model 1951



4 shiatsu massage heads with heating  
Versatile for neck, legs, back  
Velcro straps  
Easy, one button operation  
Soft plush material  
Power: 12V 1A

## Mmini massage gun **NEW**

model 1952



4 pcs massage heads  
4 levels, 1800rp/min-3200rp/min  
Main material: ABS  
Connection port: type C  
Battery capacity: 2000mAh  
Motor power: 15W

## Cellulite remover **NEW**

model 1953



Three different attachments: ripple, trio, and roller

Rotate control speed

Max speed: 3000RPM

Material: ABS

Main voltage: 110-220V~50-60HZ

Power: 25W

## Shiatsu neck massager **NEW**

model 1954



8 massage heads

Positive and negative rotation

3 speed settings

Massage heads with heating of 45°C

Curved back design, fits the human body

Pre-programmed timer 15 min. auto off

Material: ABS, elastic textile

Power: 12V 2.0A / 24W

## Shiatsu foot massager **NEW**

model 1955



Rolling, shiatsu kneading and air massage

3 heating levels

Removable cloth to clean

Remote controller

15 / 30 minutes auto shut-off

Material: ABS

Main voltage: 110-240V~50-60Hz



# Logistic data

| Model  | EAN code      | Giftbox size (mm) | Product weight in giftbox (g) | Pcs/master carton | Master carton size (mm) | M. carton gross weight (kg) | Product pcs/ pallet | Product pcs/ 20' container |
|--------|---------------|-------------------|-------------------------------|-------------------|-------------------------|-----------------------------|---------------------|----------------------------|
| 1704   | 5997307517049 | 148×147×170       | 725                           | 24                | 616×455×364             | 18,55                       | 192                 | 7000                       |
| 1707   | 5997307517070 | 96×36×170         | 120                           | 80                | 415×395×300             | 9,95                        | 1920                | 45500                      |
| 1708   | 5997307517087 | 108×146×35        | 120                           | 80                | 415×395×300             | 9,95                        | 1920                | 45500                      |
| 1723   | 5997307517230 | 120×50×220        | 338                           | 24                | 500×320×250             | 8,33                        | 576                 | 16800                      |
| 1729   | 5997307517292 | 150×150×170       | 1083                          | 12                | 465×315×365             | 15                          | 192                 | 6480                       |
| 1730   | 5997307517308 | 260×257×302       | 1450                          | 4                 | 545×540×325             | 9,55                        | 48                  | 1224                       |
| 1731   | 5997307517315 | 85×85×85          | 350                           | 4                 | 180×180×90              | 1,5                         | 1728                | 38400                      |
| 1732   | 5997307517322 | 313×224×245       | 1875                          | 4                 | 640×463×265             | 10,02                       | 48                  | 1468                       |
| 1733   | 5997307517339 | 255×180×129       | 890                           | 12                | 555×270×535             | 13,2                        | 144                 | 4200                       |
| 1754   | 5997307517544 | 95×125×38         | 94                            | 100               | 535×260×400             | 9,9                         | 1600                | 50300                      |
| 1761   | 5997307517612 | 45×130×200        | 99                            | 48                | 360×530×300             | 6                           | 960                 | 21000                      |
| 1764   | 5997307517643 | 54×19×147         | 42                            | 300               | 535×385×38              | 13                          | 4800                | 107000                     |
| 1765   | 5997307517650 | 93×52×176         | 125                           | 60                | 580×375×320             | 8,50                        | 1200                | 24100                      |
| 1770   | 5997307517704 | 125×94×174        | 300                           | 12                | 415×392×212             | 5,35                        | 336                 | 9700                       |
| 1818   | 5997307518183 | 215×215×364       | 1620                          | 4                 | 455×445×385             | 7,70                        | 48                  | 1436                       |
| 1820   | 5997307518206 | 240×240×365       | 3304                          | 2                 | 500×380×255             | 6,84                        | 48                  | 1154                       |
| 1821   | 5997307518190 | 120×120×225       | 653                           | 12                | 480×370×240             | 8,20                        | 288                 | 7872                       |
| 1930   | 5997307519302 | 150×80×300        | 470                           | 10                | 420×320×320             | 5,2                         | 200                 | 6500                       |
| 1931   | 5997307519319 | 370×95×280        | 1090                          | 10                | 580×500×390             | 12,5                        | 80                  | 2500                       |
| 1932   | 5997307519326 | 355×125×400       | 1940                          | 5                 | 650×370×420             | 11,1                        | 45                  | 1400                       |
| 1933   | 5997307519333 | 325×125×280       | 900                           | 10                | 650×340×580             | 10,1                        | 80                  | 2200                       |
| 1934   | 5997307519340 | 320×145×410       | 1600                          | 4                 | 600×340×430             | 7,2                         | 48                  | 1300                       |
| 1950   | 5997307519500 | 100×95×95         | 300                           | 48                | 420×400×300             | 15                          | 960                 | 26640                      |
| 1951   | 5997307519517 | 350×20×120        | 1600                          | 8                 | 530×395×385             | 13,5                        | 128                 | 2776                       |
| 1952   | 5997307519524 | 195×195×60        | 700                           | 20                | 400×320×405             | 15                          | 480                 | 10900                      |
| 1953   | 5997307519531 | 166×116×277       | 1200                          | 20                | 600×345×570             | 22,6                        | 160                 | 4700                       |
| 1954   | 5997307519548 | 400×170×200       | 2300                          | 6                 | 535×415×420             | 15                          | 36                  | 1800                       |
| 1955   | 5997307519555 | 460×260×390       | 5000                          | 4                 | 520×450×780             | 21,5                        | 24                  | 600                        |
| 3000   | 5997307530000 | 185×140×225       | 442                           | 10                | 385×715×240             | 5,05                        | 180                 | 4550                       |
| 3001   | 5997307530017 | 184×144×251       | 774                           | 6                 | 447×378×270             | 4,98                        | 144                 | 4000                       |
| 3102   | 5997307531021 | 110×100×160       | 274                           | 24                | 430×360×330             | 6,65                        | 480                 | 13150                      |
| 3112   | 5997307531120 | 165×125×80        | 547                           | 24                | 400×350×400             | 13,50                       | 576                 | 10000                      |
| 3113   | 5997307531137 | 115×95×65         | 300                           | 20                | 508×355×265             | 9,8                         | 480                 | 11500                      |
| 5100   | 5997307551005 | 450×325×80        | 2811                          | 4                 | 315×455×350             | 11,74                       | 80                  | 2096                       |
| 5110   | 5997307551104 | 446×327×74        | 2900                          | 4                 | 460×322×353             | 12,27                       | 64                  | 2140                       |
| 5200   | 5997307552002 | 450×325×80        | 2811                          | 4                 | 315×455×350             | 11,74                       | 80                  | 2096                       |
| 5204   | 5997307552040 | 445×330×70        | 3200                          | 4                 | 315×455×350             | 13,30                       | 80                  | 2096                       |
| 5207   | 5997307552071 | 445×330×70        | 3200                          | 4                 | 315×455×350             | 13,30                       | 80                  | 2096                       |
| 5210   | 5997307552101 | 445×330×70        | 3200                          | 4                 | 315×455×350             | 13,30                       | 80                  | 2096                       |
| 5220   | 5997307552200 | 445×330×70        | 3200                          | 4                 | 315×455×350             | 13,30                       | 80                  | 2096                       |
| 5253   | 5997307552538 | 445×330×75        | 2514                          | 4                 | 315×455×350             | 10,56                       | 80                  | 2096                       |
| 5550   | 5997307555508 | 480×450×48        | 3920                          | 1                 | 480×450×48              | 3,92                        | 60                  | 2700                       |
| 5831   | 5997307558318 | 323×54×327        | 1745                          | 5                 | 350×283×345             | 9,20                        | 160                 | 4400                       |
| 5870-2 | 5997307587028 | 320×325×40        | 1513                          | 8                 | 330×310×335             | 14,2                        | 192                 | 5600                       |
| 5870-3 | 5997307587035 | 320×325×40        | 1513                          | 8                 | 330×310×335             | 14,2                        | 192                 | 5600                       |
| 5870-4 | 5997307587042 | 320×325×40        | 1513                          | 8                 | 330×310×335             | 14,2                        | 192                 | 5600                       |
| 5872   | 5997307558721 | 295×305×40        | 1410                          | 5                 | 320×210×320             | 7,20                        | 210                 | 6400                       |

# Logistic data

| Model  | EAN code      | Giftbox size (mm) | Product weight in giftbox (g) | Pcs/master carton | Master carton size (mm) | M. carton gross weight (kg) | Product pcs/ pallet | Product pcs/ 20' container |
|--------|---------------|-------------------|-------------------------------|-------------------|-------------------------|-----------------------------|---------------------|----------------------------|
| 5873   | 5997307558738 | 315×315×30        | 1627                          | 5                 | 330×175×335             | 8,52                        | 270                 | 6400                       |
| 5874   | 5997307558745 | 315×315×35        | 1781                          | 8                 | 325×330×340             | 14,78                       | 288                 | 6400                       |
| 5875   | 5997307558752 | 310×315×40        | 1864                          | 8                 | 330×320×335             | 15,52                       | 288                 | 6400                       |
| 5876   | 5997307558769 | 335×330×50        | 2194                          | 5                 | 355×275×355             | 11,64                       | 240                 | 6400                       |
| 5877   | 5997307558776 | 316×316×44        | 1200                          | 5                 | 330×240×335             | 7,5                         | 200                 | 5185                       |
| 5879   | 5997307558790 | 344×40×336        | 2000                          | 6                 | 360×265×356             | 14,2                        | 192                 | 4900                       |
| 5968   | 5997307559681 | 295×897×132       | 5500                          | 2                 | 320×920×290             | 11,7                        | 16                  | 650                        |
| 5969   | 5997307559698 | 495×300×115       | 5991                          | 3                 | 225×535×510             | 25                          | 45                  | 1360                       |
| 5970   | 5997307559704 | 527×415×67        | 3750                          | 3                 | 538×447×225             | 12,20                       | 36                  | 2970                       |
| 5971   | 5997307559711 | 527×415×67        | 3750                          | 3                 | 538×447×225             | 12,20                       | 36                  | 2970                       |
| 6000   | 5997307560007 | 180×130×40        | 277                           | 20                | 410×200×285             | 6                           | 1280                | 7800                       |
| 6400   | 5997307564005 | 570×357×130       | 1790                          | 3                 | 580×400×380             | 5,85                        | 48                  | 1000                       |
| 6401   | 5997307564012 | 570×357×130       | 1790                          | 3                 | 580×400×380             | 5,85                        | 48                  | 1000                       |
| 6420   | 5997307564203 | 530×295×120       | 2505                          | 5                 | 320×610×560             | 13,47                       | 50                  | 1330                       |
| 6421   | 5997307564210 | 530×295×120       | 2505                          | 5                 | 320×610×560             | 13,47                       | 50                  | 1330                       |
| 6425   | 5997307564258 | 535×335×110       | 2298                          | 3                 | 545×355×355             | 7,65                        | 48                  | 1300                       |
| 6426   | 5997307564265 | 535×335×110       | 2298                          | 3                 | 545×355×355             | 7,65                        | 48                  | 1300                       |
| 6470   | 5997307564708 | 530×300×150       | 2472                          | 3                 | 540×320×470             | 9,12                        | 36                  | 1000                       |
| 6471   | 5997307564715 | 530×300×150       | 2472                          | 3                 | 540×320×470             | 9,12                        | 36                  | 1000                       |
| 6475   | 5997307564753 | 540×330×110       | 1990                          | 3                 | 550×360×355             | 6,87                        | 48                  | 1200                       |
| 6477   | 5997307564777 | 540×330×110       | 1990                          | 3                 | 550×360×355             | 6,87                        | 48                  | 1200                       |
| 6480   | 5997307564807 | 570×357×130       | 1790                          | 3                 | 580×400×380             | 5,85                        | 48                  | 1000                       |
| 6510   | 5997307565101 | 295×530×115       | 2684                          | 5                 | 310×610×560             | 14,60                       | 50                  | 1400                       |
| 6551   | 5997307565514 | 533×100×292       | 2350                          | 5                 | 350×590×560             | 12,50                       | 40                  | 1300                       |
| 6641   | 5997307566412 | 865×720×65        | 9750                          | 2                 | 880×740×145             | 19,7                        | 12                  | 600                        |
| 6651   | 5997307566511 | 870×870×65        | 15000                         | 1                 | 870×870×65              | 15                          | 10                  | 600                        |
| 6671-S | 5997307566719 | 910×615×60        | 10000                         | 1                 | 910×615×60              | 10                          | 10                  | 900                        |
| 6680   | 5997307566801 | 360×645×50        | 3039                          | 5                 | 660×285×380             | 15,50                       | 80                  | 2100                       |
| 6681   | 5997307566818 | 845×625×55        | 7667                          | 3                 | 860×165×645             | 23,80                       | 27                  | 1000                       |
| 68001  | 5997307568003 | 241×240×72        | 691                           | 10                | 502×370×265             | 7,60                        | 240                 | 5800                       |
| 6839   | 5997307568393 | 220×155×47        | 364                           | 20                | 480×240×340             | 9,14                        | 60                  | 14800                      |
| 6841   | 5997307568416 | 240×182×26        | 522                           | 6                 | 264×178×214             | 3,34                        | 756                 | 17300                      |
| 6846   | 5997307568461 | 207×169×29        | 536                           | 20                | 355×295×230             | 10,90                       | 1120                | 24000                      |
| 6850   | 5997307568508 | 250×180×55        | 666                           | 6                 | 342×197×268             | 4,30                        | 432                 | 9600                       |
| 6856   | 5997307568560 | 235×214×27        | 620                           | 6                 | 223×335×247             | 7,44                        | 360                 | 9400                       |
| 6858   | 5997307568584 | 235×175×26        | 400                           | 12                | 260×200×340             | 5,3                         | 960                 | 19000                      |
| 6859   | 5997307568591 | 210×145×25        | 320                           | 20                | 305×275×230             | 8                           | 1120                | 30000                      |
| 6860   | 5997307568607 | 210×145×25        | 320                           | 20                | 305×275×230             | 8                           | 1120                | 30000                      |
| 6861   | 5997307568614 | 210×145×25        | 320                           | 20                | 305×275×230             | 8                           | 1120                | 30000                      |
| 6863   | 5997307568638 | 210×255×85        | 325                           | 12                | 530×430×275             | 5,77                        | 144                 | 5500                       |
| 6864   | 5997307568645 | 250×178×25        | 575                           | 20                | 380×275×270             | 13,9                        | 960                 | 20500                      |
| 6865   | 5997307568652 | 215×170×25        | 390                           | 20                | 360×275×235             | 9,9                         | 1120                | 25000                      |
| 7462   | 5997307574622 | 290×180×110       | 1740                          | 12                | 590×400×330             | 21,69                       | 240                 | 4500                       |
| 7474   | 5997307574745 | 285×525×80        | 2358                          | 6                 | 540×300×470             | 15                          | 72                  | 2300                       |
| 7710   | 5997307500829 | 290×277×52        | 1540                          | 10                | 543×290×300             | 16,10                       | 200                 | 6300                       |
| 7720   | 5997307577203 | 320×290×55        | 1585                          | 10                | 560×330×320             | 16,69                       | 200                 | 4900                       |
| 7746   | 5997307577463 | 307×307×50        | 1757                          | 5                 | 315×263×323             | 9,06                        | 250                 | 5400                       |





[momert.eu](https://momert.eu)

Momert Co. Ltd., 2400 Dunaujvaros – HUNGARY, 12-14. Papirgyari street  
Phone: +36 25 555 130 // E-mail: [export@momert.hu](mailto:export@momert.hu)